

CROSSFIRE™

B R A S S B U R N E R S

Manufactured by
WarmingTrends™



$$1 + 1 + 1 = 9$$

Ask us how we do our math.



Twice the Flame.
Half the Gas.



All Brass
Components



Lifetime
Warranty




Made in
the USA

CROSSFIRE™

B R A S S B U R N E R S

Manufactured by
WarmingTrends™



CFB180

1

High Velocity
Gas Ejection
with Venturi
Jet Technology

+

1

High Velocity
air intake
at point of
combustion

+

1

Cross
Directional
Jet
Positioning

The Warming Trends™ Patent Pending CROSSFIRE™ Brass Burner utilizes cutting-edge technology to produce a taller, brighter, fuller flame, replicating a natural, dancing, wood burning fire - all while consuming less gas.

Made from corrosion resistant brass, CROSSFIRE™ Brass Burners will not rust and come with a lifetime warranty. All products are manufactured and assembled in the United States.

Warming Trends™ specializes in:

- Custom designs
- Fastest delivery lead times in the industry
- Superior customer service

All Warming Trends™ products in this catalog are CERTIFIED as match lit and with electronic ignition except where noted.

= 9

The Compounding Flame Effect™

Side by side comparisons of a traditional stainless steel ring burner versus a CROSSFIRE™ Brass Burner shows the difference in flame height and burn pattern.



Above: CFB180 Optimal
Flame Output



Standard Ring Burner with 180K BTU's



CFB180 CROSSFIRE™ Brass Burner with
180k BTU's

ORIGINAL CROSSFIRE™ BRASS BURNERS



CFB60 Burner: 7.5" x 7.5" | Plate: 18" Square or Circular

CFB60NG
CFB60LP

60K BTU 7.5" x 7.5" Original CROSSFIRE™ Brass Burner

CFB60NGFLKV12
CFB60LPFLKV12

60K BTU 7.5" x 7.5" Original CROSSFIRE™ Brass Burner + ½" Flex Line Kit

CFB60NGALPL18C
CFB60LPALPL18C

60K BTU 7.5" x 7.5" Original CROSSFIRE™ Brass Burner + 18" Circular Plate

CFB60NGALPL18S
CFB60LPALPL18S

60K BTU 7.5" x 7.5" Original CROSSFIRE™ Brass Burner + 18" Square Plate



3 Volt



Standard
24 Volt



Premium
24 Volt



CFB120-V2 Burner: 13" x 13" | Plate: 24" Square or Circular

CFB120NG-V2
CFB120LP-V2

120K BTU 13" x 13" Original CROSSFIRE™ Brass Burner-V2

CFB120NG-V2FLKV12
CFB120LP-V2FLKV12

120K BTU 13" x 13" Original CROSSFIRE™ Brass Burner-V2 + ½" Flex Line Kit

CFB120NG-V2ALPL24C
CFB120LP-V2ALPL24C

120K BTU 13" x 13" Original CROSSFIRE™ Brass Burner-V2 + 24" Circular Plate

CFB120NG-V2ALPL24S
CFB120LP-V2ALPL24S

120K BTU 13" x 13" Original CROSSFIRE™ Brass Burner-V2 + 24" Square Plate




3 Volt



Standard
24 Volt



Premium
24 Volt



CFB180 Burner: 17" x 15" | Plate: 30" Square or Circular

CFB180NG
CFB180LP

180K BTU 17" X 15" Original CROSSFIRE™ Brass Burner

CFB180NGFLKV34FIT180
CFB180LPFLKV34FIT180

180K BTU 17" X 15" Original CROSSFIRE™ Brass Burner + ¾" Flex Line Kit + FIT180

CFB180NGALPL30C
CFB180LPALPL30C

180K BTU 17" X 15" Original CROSSFIRE™ Brass Burner + 30" Circular Plate

CFB180NGALPL30S
CFB180LPALPL30S

180K BTU 17" X 15" Original CROSSFIRE™ Brass Burner + 30" Square Plate



Standard
24 Volt



Premium
24 Volt



CFB290 Burner: 21.5" x 21.5" | Plate: 36" Square or Circular

CFB290NG
CFB290LP

290K BTU 21.5" x 21.5" Original CROSSFIRE™ Brass Burner

CFB290NGDFLKV34FIT250
CFB290LPDFLKV34FIT250

290K BTU 21.5" x 21.5" Original CROSSFIRE™ Brass Burner + ¾" Dual Flex Line Kit + FIT250

CFB290NGALPL36C
CFB290LPALPL36C

290K BTU 21.5" x 21.5" Original CROSSFIRE™ Brass Burner + 36" Circular Plate

CFB290NGALPL36S
CFB290LPALPL36S


290K BTU 21.5" x 21.5" Original CROSSFIRE™ Brass Burner + 36" Square Plate



Standard
24 Volt



Premium
24 Volt



CFB300 Burner: 30.5" x 30.5" | Plate: 42" Square or Circular


CFB300NG CFB300LP	300K BTU 30.5" x 30.5" Original CROSSFIRE™ Brass Burner
CFB300NGDFLKV34FIT300 CFB300LPDFLKV34FIT300	300K BTU 30.5" x 30.5" Original CROSSFIRE™ Brass Burner + 3/4" Dual Flex Line Kit + FIT300
CFB300NGALPL42C CFB300LPALPL42C	300K BTU 30.5" x 30.5" Original CROSSFIRE™ Brass Burner + 42" Circular Plate
CFB300NGALPL42S CFB300LPALPL42S	300K BTU 30.5" x 30.5" Original CROSSFIRE™ Brass Burner + 42" Square Plate

 CFB300 is certified with Standard 24 Volt and Premium 24 Volt ignition systems only.



Call a Warming Trends™ Flame Consultant to discuss your custom project today.
877.556.5255 or visit Warming-Trends.com

LINEAR CROSSFIRE™ BRASS BURNERS



CFBL90 Burner: 18" | Plate: 20" x 6"


CFBL90NG CFBL90LP	90K BTU 18" Linear CROSSFIRE™ Brass Burner
CFBL90NGFLKV12 CFBL90LPFLKV12	90K BTU 18" Linear CROSSFIRE™ Brass Burner + 1/2" Flex Line Kit
CFBL90NGALPL206 CFBL90LPALPL206	90K BTU 18" Linear CROSSFIRE™ Brass Burner + 20" x 6" Plate



CFBL110 Burner: 22" | Plate: 26" x 6"

CFBL110NG CFBL110LP	110K BTU 22" Linear CROSSFIRE™ Brass Burner
CFBL110NGFLKV12 CFBL110LPFLKV12	110K BTU 22" Linear CROSSFIRE™ Brass Burner + 1/2" Flex Line Kit
CFBL110NGALPL266 CFBL110LPALPL266	110K BTU 22" Linear CROSSFIRE™ Brass Burner + 26" x 6" Plate





CFBL130 Burner: 26" | Plate: 32" x 8"

CFBL130**NG**
CFBL130**LP**

CFBL130**NG**FLKV34FIT180
CFBL130**LP**FLKV34 FIT180

CFBL130**NG**ALPL328
CFBL130**LP**ALPL328

130K BTU 26" Linear CROSSFIRE™ Brass Burner

130K BTU 26" Linear CROSSFIRE™ Brass Burner + 3/4" Flex Line Kit + FIT180

130K BTU 26" Linear CROSSFIRE™ Brass Burner + 32" x 8" Plate




3 Volt



Standard 24 Volt



Premium 24 Volt



CFBL150 Burner: 30" | Plate: 38" x 8"

CFBL150**NG**
CFBL150**LP**

CFBL150**NG**FLKV34FIT180
CFBL150**LP**FLKV34FIT180

CFBL150**NG**ALPL388
CFBL150**LP**ALPL388

150K BTU 30" Linear CROSSFIRE™ Brass Burner

150K BTU 30" Linear CROSSFIRE™ Brass Burner + 3/4" Flex Line Kit + FIT180


150K BTU 30" Linear CROSSFIRE™ Brass Burner + 38" x 8" Plate



Standard 24 Volt



Premium 24 Volt



CFBL190 Burner: 38" | Plate: 44" x 8"

CFBL190**NG**
CFBL190**LP**

CFBL190**NG**FLKV34FIT180
CFBL190**LP**FLKV34FIT180

CFBL190**NG**ALPL448
CFBL190**LP**ALPL448

190K BTU 38" Linear CROSSFIRE™ Brass Burner

190K BTU 38" Linear CROSSFIRE™ Brass Burner + 3/4" Flex Line Kit + FIT180


190K BTU 38" Linear CROSSFIRE™ Brass Burner + 44" x 8" Plate



Standard 24 Volt



Premium 24 Volt



CFBL210 Burner: 42" | Plate: 50" x 10"

CFBL210**NG**
CFBL210**LP**

CFBL210**NG**FLKV34FIT180
CFBL210**LP**FLKV34FIT180

CFBL210**NG**ALPL5010
CFBL210**LP**ALPL5010

210K BTU 42" Linear CROSSFIRE™ Brass Burner

210K BTU 42" Linear CROSSFIRE™ Brass Burner + 3/4" Flex Line Kit + FIT180


210K BTU 42" Linear CROSSFIRE™ Brass Burner + 50" x 10" Plate



Standard 24 Volt



Premium 24 Volt



CFBL250 Burner: 50" | Plate: 56" x 10"

CFBL250**NG**
CFBL250**LP**

CFBL250**NG**DFLKV34FIT250
CFBL250**LP**DFLKV34FIT250

CFBL250**NG**ALPL5610
CFBL250**LP**ALPL5610

250K BTU 50" Linear CROSSFIRE™ Brass Burner

250K BTU 50" Linear CROSSFIRE™ Brass Burner + 3/4" Dual Flex Line Kit + FIT250


250K BTU 50" Linear CROSSFIRE™ Brass Burner + 56" x 10" Plate



Standard 24 Volt



Premium 24 Volt



CFBL270 Burner: 54" | Plate: 62" x 12"

CFBL270**NG**
CFBL270**LP**

CFBL270**NG**DFLKV34FIT250
CFBL270**LP**DFLKV34FIT250

CFBL270**NG**ALPL6212
CFBL270**LP**ALPL6212

270K BTU 54" Linear CROSSFIRE™ Brass Burner

270K BTU 54" Linear CROSSFIRE™ Brass Burner + ¾" Dual Flex Line Kit + FIT250

270K BTU 54" Linear CROSSFIRE™ Brass Burner + 62" x 12" Plate



Standard
24 Volt



Premium
24 Volt

H-STYLE CROSSFIRE™ BRASS BURNERS



CFBH120 Burner: 18" x 7" | Plate: 15" x 28"

CFBH120**NG**
CFBH120**LP**

CFBH120**NG**FLKV12
CFBH120**LP**PFLKV12

CFBH120**NG**ALPL2815
CFBH120**LP**PALPL2815

120K BTU 18" x 7" H-Style CROSSFIRE™ Brass Burner

120K BTU 18" x 7" H-Style CROSSFIRE™ Brass Burner + ½" Flex Line Kit

120K BTU 18" x 7" H-Style CROSSFIRE™ Brass Burner + 28" x 15" Plate



3 Volt



Standard
24 Volt



Premium
24 Volt



CFBH160 Burner: 24" x 9" | Plate: 34" x 17"

CFBH160**NG**
CFBH160**LP**

CFBH160**NG**FLKV34 FIT180
CFBH160**LP**PFLKV34FIT180

CFBH160**NG**ALPL3417
CFBH160**LP**PALPL3417

160K BTU 24" x 9" H-Style CROSSFIRE™ Brass Burner

160K BTU 24" x 9" H-Style CROSSFIRE™ Brass Burner + ¾" Flex Line Kit + FIT180

160K BTU 24" x 9" H-Style CROSSFIRE™ Brass Burner + 34" x 17" Plate



Standard
24 Volt



Premium
24 Volt



CFBH200 Burner: 30" x 9" | Plate: 40" x 17"

CFBH200**NG**
CFBH200**LP**

CFBH200**NG**FLKV34FIT180
CFBH200**LP**PFLKV34FIT180

CFBH200**NG**ALPL4017
CFBH200**LP**PALPL4017

200K BTU 30" x 9" H-Style CROSSFIRE™ Brass Burner

200K BTU 30" x 9" H-Style CROSSFIRE™ Brass Burner + ¾" Flex Line Kit + FIT180

200K BTU 30" x 9" H-Style CROSSFIRE™ Brass Burner + 40" x 17" Plate



Standard
24 Volt



Premium
24 Volt



CFBH240 Burner: 36" x 9" | Plate: 46" x 17"

CFBH240NG
CFBH240LP

240K BTU 36" x 9" H-Style CROSSFIRE™ Brass Burner

CFBH240NGFLKV34FIT180
CFBH240LPFLKV34FIT180

240K BTU 36" x 9" H-Style CROSSFIRE™ Brass Burner + ¾" Flex Line Kit + FIT180

CFBH240NGALPL4617
CFBH240LPALPL4617

240K BTU 36" x 9" H-Style CROSSFIRE™ Brass Burner + 46" x 17" Plate



Standard 24 Volt



Premium 24 Volt



CFBH300 Burner: 43" x 14" | Plate: 56" x 25"

CFBH300NG
CFBH300LP

300K BTU 42" x 14" H-Style CROSSFIRE™ Brass Burner

CFBH300NGDFLKV34FIT300
CFBH300LPDFLKV34FIT300

300K BTU 42" x 14" H-Style CROSSFIRE™ Brass Burner + ¾" Dual Flex Line Kit + FIT300

CFBH300NGALPL5625
CFBH300LPALPL5625

300K BTU 42" x 14" H-Style CROSSFIRE™ Brass Burner + 56" x 25" Plate

CFBH300 is certified with Standard 24 Volt and Premium 24 Volt ignition systems only.



Standard 24 Volt



Premium 24 Volt



CFBH340 Burner: 48" x 14" | Plate: 62" x 25"

CFBH340NG
CFBH340LP

340K BTU 48" x 14" H-Style CROSSFIRE™ Brass Burner

CFBH340NGDFLKV34FIT300
CFBH340LPDFLKV34FIT300

340K BTU 48" x 14" H-Style CROSSFIRE™ Brass Burner + ¾" Dual Flex Line Kit + FIT300

CFBH340NGALPL6225
CFBH340LPALPL6225

340K BTU 48" x 14" H-Style CROSSFIRE™ Brass Burner + 62" x 25" Plate

CFBH340 is certified with Standard 24 Volt and Premium 24 Volt ignition systems only.



Standard 24 Volt



Premium 24 Volt



LOOKING FOR SOMETHING UNIQUE?

Custom Designs are made to fit the requirements and style of each individual project. We work one-on-one with each client, getting to know your needs and designing until your vision is a reality.

Call us today to discuss your custom project.

877.556.5255

TREE-STYLE CROSSFIRE™ BRASS BURNERS



CFBT110 Burner: 13.75" x 5.25" | Plate: 20" x 11"

CFBT110NG
CFBT110LP

110K BTU 13.75" x 5.25" Tree-Style CROSSFIRE™ Brass Burner

CFBT110NGFLKV12
CFBT110LPFLKV12

110K BTU 13.75" x 5.25" Tree-Style CROSSFIRE™ Brass Burner + ½" Flex Line Kit

CFBT110NGALPL2011
CFBT110LPALPL2011

110K BTU 13.75" x 5.25" Tree-Style CROSSFIRE™ Brass Burner + 20" x 11" Plate



3 Volt



Standard
24 Volt



Premium
24 Volt



CFBT170 Burner: 22" x 5.25" | Plate: 28" x 11"

CFBT170NG
CFBT170LP

170K BTU 22" x 5.25" Tree-Style CROSSFIRE™ Brass Burner

CFBT170NGFLKV34 FIT180
CFBT170LPFLKV34 FIT180

170K BTU 22" x 5.25" Tree-Style CROSSFIRE™ Brass Burner + ¾" Flex Line Kit + FIT180

CFBT170NGALPL2811
CFBT170LPALPL2811

170K BTU 22" x 5.25" Tree-Style CROSSFIRE™ Brass Burner + 28" x 11" Plate



Standard
24 Volt



Premium
24 Volt



CFBT230 Burner: 30" x 7.25" | Plate: 36" x 11"

CFBT230NG
CFBT230LP

230K BTU 30" x 7.25" Tree-Style CROSSFIRE™ Brass Burner

CFBT230NGFLKV34FIT180
CFBT230LPFLKV34FIT180

230K BTU 30" x 7.25" Tree-Style CROSSFIRE™ Brass Burner + ¾" Flex Line Kit + FIT180

CFBT230NGALPL3611
CFBT230LPALPL3611

230K BTU 30" x 7.25" Tree-Style CROSSFIRE™ Brass Burner + 36" x 11" Plate



Standard
24 Volt



Premium
24 Volt



CFBT290 Burner: 38" x 7.25" | Plate: 44" x 14"

CFBT290NG
CFBT290LP

290K BTU 38" x 7.25" Tree-Style CROSSFIRE™ Brass Burner

CFBT290NGDFLKV34FIT250
CFBT290LPDFLKV34FIT250

290K BTU 38" x 7.25" Tree-Style CROSSFIRE™ Brass Burner + ¾" Dual Flex Line Kit + FIT250

CFBT290NGALPL4414
CFBT290LPALPL4414


290K BTU 38" x 7.25" Tree-Style CROSSFIRE™ Brass Burner + 44" x 14" Plate



Standard
24 Volt



Premium
24 Volt




CFBT350

Burner: 51.5" x 7.5" | Plate: 58" x 14"

CFBT350NG CFBT350LP	350K BTU 51.5" x 7.5" Tree-Style CROSSFIRE™ Brass Burner
CFBT350NGDFLKV34FIT300 CFBT350LPDFLKV34FIT300	350K BTU 51.5" x 7.5" Tree-Style CROSSFIRE™ Brass Burner + ¾" Dual Flex Line Kit + FIT300
CFBT350NGALPL5814 CFBT350LPALPL5814	350K BTU 51.5" x 7.5" Tree-Style CROSSFIRE™ Brass Burner + 58" x 14" Plate

CFBT350 is certified with Standard 24 Volt and Premium 24 Volt ignition systems only.




CFBT410

Burner: 60" x 7.5" | Plate: 66" x 14"

CFBT410NG CFBT410LP	410K BTU 60" x 7.5" Tree-Style CROSSFIRE™ Brass Burner
CFBT410NGDFLKV34FIT300 CFBT410LPDFLKV34FIT300	410K BTU 60" x 7.5" Tree-Style CROSSFIRE™ Brass Burner + ¾" Dual Flex Line Kit + FIT300
CFBT410NGALPL6614 CFBT410LPALPL6614	410K BTU 60" x 7.5" Tree-Style CROSSFIRE™ Brass Burner + 66" x 14" Plate

CFBT410 is certified with Premium 24 Volt ignition systems only.



CFBT470

Burner: 67.75" x 7.5" | Plate: 74" x 14"

CFBT470NG CFBT470LP	470K BTU 67.75" x 7.5" Tree-Style CROSSFIRE™ Brass Burner
CFBT470NGDFLKV34FIT300 CFBT470LPDFLKV34FIT300	470K BTU 67.75" x 7.5" Tree-Style CROSSFIRE™ Brass Burner + ¾" Dual Flex Line Kit + FIT300
CFBT470NGALPL7414 CFBT470LPALPL7414	470K BTU 67.75" x 7.5" Tree-Style CROSSFIRE™ Brass Burner + 74" x 14" Plate

CFBT470 is certified with Premium 24 Volt ignition systems only.



IGNITION SYSTEMS and ACCESSORIES

All CROSSFIRE™ Brass Burners come as standard with a Match Lit Ignition. Upgrades include Push Button ignition and electric on/off switch options. Add ease of use with a remote control or dial timer.

IGNITION SYSTEMS



Match Lit



Push Button



3 Volt



Standard 24 Volt



Premium 24 Volt

ELECTRONIC ADD-ONS



3 Volt Remote



24 Volt Remote



Bluetooth Remote



Dial Timer



Emergency Stop

ACCESSORIES



Black Lava Rock



Red Lava Rock




Volcanic Stone



Ceramic Log Set




Steel Log Set



Fire Glass

READY-TO-FINISH KITS


Ready-to-Finish Kits offer quick and easy fire feature construction. Kits come complete with aluminum frame, concrete board base, CROSSFIRE™ Brass Burner, flex line kit and lava rock. Warming Trends™ offers standard and custom vents, mounting brackets, access panels and more.



Standard sizes available: 42", 54", 60" and 72".

FC60 shown featuring a CFB290 Original CROSSFIRE™ Brass Burner.

FC42NG FC42LP	42" W x 18" H + CFB120-V2
FC54NG FC54LP	54" W x 18" H + CFB180
FC60NG FC60LP	60" W x 18" H + CFB290



Standard sizes available: 36", 48", 54" and 60".

FS5454 shown featuring a CFB290 Original CROSSFIRE™ Brass Burner.

FS3636NG FS3636LP	36" x 36" W x 18" H + CFB120-V2
FS4848NG FS4848LP	48" x 48" W x 18" H + CFB180
FS5454NG FS5454LP	54" x 54" W x 18" H + CFB290




Standard sizes available: 42", 54", and 60".

FO54 shown featuring a CFB180 Original CROSSFIRE™ Brass Burner.

FO42NG FO42LP	42" W x 18" H + CFB120-V2
FO54NG FO54LP	54" W x 18" H + CFB180
FO60NG FO60LP	60" W x 18" H + CFB290

Upgrade your Ready-to-Finish Kit with a Warming Trends™ ventilation kit.



Standard sizes available: 48" x 30", 60" x 36" and 72" x 42".

FR7242 shown featuring a CFB210 Linear CROSSFIRE™ Brass Burner.

FR4830NG FR4830LP	48" x 30" W x 18" H + CFBL110
FR6036NG FR6036LP	60" x 36" W x 18" H + CFBL150
FR7242NG FR7242LP	72" x 42" W x 18" H + CFBL210

Upgrade your Rectangular Ready-to-Finish Kit to a Tree-Style CROSSFIRE™ Brass Burner. **877.556.5255**
See page 9 for certified Tree-Style burners.



Ready-to-Finish Kits are available in custom shapes and sizes.



Custom table and bar heights available.



Call a Warming Trends™ Flame Consultant to discuss your custom Ready-to-Finish Kit. **877.556.5255**



Twice the Flame.
Half the Gas.



All Brass
Components



Lifetime
Warranty



Made in
the USA

WarmingTrends™

303 346 2224 | info@warming-trends.com | www.Warming-Trends.com