

# **Safety Data Sheet**

## BOSS® 820 Pool & Spa Silicone Lube

## Section 1. Identification

Product Identifier Synonyms Manufacturer Stock Numbers	BOSS® 820 Pool & Spa 8 82002; 82001; 82030; 82 02583CL10; 03084CL84;		; C19018CL
Recommended use Uses advised against	Refer to Technical Inform Refer to Technical Inform		
Manufacturer Contact Address	Soudal Accumetric 350 Ring Road Elizabethtown, KY, 42701 USA		
	Phone (270) 769-3385	Emergency Phone (800) 424-9300 CHEMTREC	Fax (270) 765-2412

### Section 2. Hazards Identification

Classification	N/A
Signal Word	
Pictogram	
Hazard Statements	N/A
Precautionary Statements	
Response	N/A
Prevention	N/A
Storage	N/A
Disposal	N/A

Ingredients of unknown toxicity	0%
Hazards not Otherwise Classified	
GHS Classification	Not a hazardous substance or mixture.
GHS Label Element	Not a hazardous substance or mixture.
Other hazards	None known

## Section 3. Ingredients

CAS	Ingredient Name	Weight %
112945-52-5	Amorphous fumed silica	2% - 20%
68611-44-9	Hydrophobic silica	2% - 20%
102-24-9	Trimethoxyboroxin	5% - Max
52624-57-4	Oxirane, methyl-, polymer	5% - Max
63148-62-9	Dimethylpolysiloxane	60% - 90%

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First-Aid Measures

Eye Contact	Immediately flush eyes with water for at least 15 minutes. Get medical attention if irritation develops.
Skin Contact	Wash affected area thoroughly with soap and water. Remove contaminated clothing and launder before re-use. Get medical attention if irritation develops.
Inhalation	Not known to cause inhalation problems.
Ingestion	DO NOT INDUCE VOMITING. Seek immediate medical attention.

## Section 5. Fire Fighting Measures

Suitable Extinguishing Media	Use carbon dioxide or dry chemical on small fires. Use foam and/or water spray for large fires.
Unsuitable Extinguishing Media	None known
Auto-ignition Temperature	Not determined
Lower Explosive Limit	Not determined
Upper Explosive Limit	Not determined
Special Fire Fighting Procedures	Fire fighters should wear full protective clothing including self contained breathing apparatus.
Unusual Fire or Explosion Hazards	None known

## Section 6. Accidental Release Measures

Steps to be taken in case<br/>of spill or releaseObserve all personal protection equipment. Use absorbent material to collect<br/>and contain material for disposal.

Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this MSDS provide information regarding certain federal and state requirements.

#### Section 7. Handling and Storage

Storage	Store below 100F.
Handling	Keep container closed when not in use. Avoid prolonged skin contact. Keep
	away from eyes, use recommended personal protective equipment.

## Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Amorphous fumed silica	10 mg/m3	6 mg/m3	N/A
	Hydrophobic silica	N/A	N/A	N/A
	Trimethoxyboroxin	10 mg/m≈	10 mg/m≈	N/A
	Oxirane, methyl-, polymer	N/A	N/A	N/A
	Dimethylpolysiloxane	N/A	N/A	N/A
Personal Protective Equipment	Goggles, Gloves			
Eye Protection	Use proper protection - safety glasses as a minimum.			
Skin Protection	Chemical resistant rubber (e.g. neoprene, butyl rubber, nitrile) gloves and other protective gear as needed to prevent skin contact.			
Ventilation	Good general ventilation should be sufficient.			
Precautionary Measures	Avoid eye and skin contact. Keep container closed when not in use. Do not take internally.		Do not	
Note	These precautions are for room temperature handling. Use at elevated temperatures or aerosol/spray applications may require added precautions.			

#### Section 9. Physical and Chemical Properties

Physical State	Paste
Color	Transluscent
Odor	Slight, sweet
Odor Threshold	N/A
Solubility	Insoluble
Partition coefficient Water/n-octanol	N/A
VOC%	10 g/L
Viscosity	1,500,000
	cPs

Specific Gravity	1.03
Density lbs/Gal	8.55
Pounds per Cubic Foot	64.3008
Flash Point	>300C
FP Method	N/A
Ph	Not
	applicable
Melting Point	Not
	applicable
Boiling Point	>300C
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	Not
	determined
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	< 5 mm Hg
Vapor Density	> 1

Note

The above information is not intended for use in preparing product specifications. Contact Soudal Accumetric before writing specifications.

#### Section 10. Stability and Reactivity

Chemical StabilityStableMaterials to Avoid /Strong acids, bases and strong oxidizers.IncompatibilitiesHazardous polymerizationConditions to AvoidWill not occurConditions to AvoidNone known

#### Section 11. Toxicological Information

Carcinogenicity	This product is not known to be a carcinogen.
Teratogenicity	This product is not known to be teratogenic.
Mutagenicity	This product is not known to be a mutagen.
Reproductive Toxin	This product is not known to be a reproductive toxin.
Sensitizer	This product is not known to be a sensitizer.

#### Section 12. Ecological Information

Fate and Effects in Waste	Complete information is not yet available.
Water Treatment Plants	
Environmental Effects	Complete information is not yet available.

Environmental Fate and Complete information is not yet available.

#### Section 13. Disposal

Waste Disposal Method We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes.

This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

#### Section 14. Transport Information

UN Number	N/A
UN Proper Shipping Name	Unrestricted
DOT Classification	Non-hazardous, unrestricted
Packing Group	N/A

#### Section 15. Regulatory Information

	The contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.
TSCA Status	All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.
SARA Title III Section 302 Extremely Hazardous Substances	None
SARA Titre III Section 304 CERCLA Substances dangereuses	None
SARA Title III Section 311/312	No components subject to 40 CFR 370
SARA Title III Section 313 Toxic Chemicals	None present or none present in regulated quantities.
California Proposition 65	This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm: None known
Massachusetts	Silica, amorphous fumed (112945-52-5)
New Jersey	Silica, amorphous fumed (112945-52-5)
Pennsylvania	Silica, amorphous fumed (112945-52-5)

#### Section 16. Other Information

**Revision Date** 

Disclaimer

#### 11/12/2015

The data contained herein is based upon information that Soudal Accumetric believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.