



PRECISION  
EDGE

ADVANCED EDGING SOLUTIONS

UNBREAKABLE



THE ONLY EDGING WITH NO LIMITATIONS



Precision Edge is a true end-to-end manufacturer utilizing 100% recycled materials to produce quality edging solutions for all of your landscape needs. Our products are made from post-consumer plastics that otherwise would end up in landfills.

Our edging is perfect for a wide variety of landscape applications. Precision Edge is the strongest, most environmentally friendly landscape edging available today. With it's sleek black finish and easy installation, Precision Edge is the #1 choice for contractors in the landscape industry.



# Custom Edging Made Simple



- Made locally in BC from 100% recycled high density polyethylene.
- Precision Edge is the strongest landscape edging available made from the most pliable plastic in the world.
- Stronger than aluminum edging.
- Aesthetically mimics black aluminum.
- Will not break or fracture under any circumstances due to its solid core construction.
- Ideal for straight lines, curves and corners.
- No coloring agents or chemical additives. 100% recycled material only.
- Great finishing edge for all landscape applications.
- Non-stick surface makes our products ideal for concrete forms.
- Will not rot or break down over time like wood products.
- Edging available in 1x4 and 1x6 black only.
- Lumber available in 2x4 and 4x4 gray or black.

# Products




**1 x 4**

Actual Size  
7/16" x 3 3/8" x 20'


**1 x 6**

Actual Size  
7/16" x 5 1/2" x 20'



**2 x 4**

Actual Size  
1 1/2" x 3 1/2" x 8'



**4 x 4**

Actual Size  
3 1/2" x 3 1/2" x 10'




**20' Lengths**



**12" Stakes**

*4 - 5 spikes recommended per 20' length*



**Connector Clips**



**Parking Stops**

Length 72" Width 7" Height 4"



# Custom Bending Tool




## Easy Installation

### Digging

Dig a trench where edging will be laid (Finished height should be 1/2 " to 1" inch above finished grade)

### Laying

Lay edging into trench. Hammer the 12" Stake straight down against the edging. Hammer the Stake half way down the board. Use two 1" coated wood deck screws in each Stake.



### Staking

For best results use a minimum of 5 Stakes per 20 ft board. Stakes should alternate sides on the board and be put on the inside of a curves apex.

### Connecting

When Connecting two boards MAKE SURE to pay close attention as each board has one side that is flat and one side that has a very slight curve. Each board needs to be installed with the flat on the same side. Use are U-Clip adapter which sits half way on each side of the board on the bottom. Use 4 of the 1 inch screws to secure the clip. Make sure the boards are push tight together to achieve a seamless look.

### Corners

Because of the quality of polyethylene we use you can bend are boards into a

90-degree corner. Or you can use are Corner Clips which give a perfect crisp 90.

The Corner Clips are first bent to the desired angle. The clip is installed on the bottom of the boards. To bring the boards tight use one screw to screw through one board and into the butt end of the other. Then use one screw on each board to secure the clip.

### Hills

If you are transitioning from flat to an aggressive hill you can cut a slit or a piece out half way up the board on the bottom side. This technique is sometimes not needed.

### Backfilling

Before you finish you are recommended to backfill the garden side at least half way up the board this will provide additional support.

### New Construction

On new construction, we recommend installing Precision Edge before the topsoil and garden soil. This will help define the areas and keep the soils contained. The same would apply for artificial grass or pathways the edging would be installed first.

### Tools Required

Shovel, hammer, drill, hand saw, skill saw or sawzall, string line for straight a way's, level if necessary.



Artificial Grass - Pathways - Borders - Gardens  
Putting Greens - Concrete Forms - Retaining Walls



**PRECISION  
EDGE**  
ADVANCED EDGING SOLUTIONS



**precisionedgeproducts.ca**  
**604.760.5903**

